

CLAIMS

I claim:

1. A container system for storing and presenting craft materials for use, comprising:

a housing having a bottom wall and a perimeter wall extending upwardly from said bottom wall, said housing defining an interior space;

a plurality of lateral dividers positioned within said housing, each one of said lateral dividers having an angular bias whereby a bottom edge of each one of said lateral dividers is positioned forward of a top edge of said lateral divider, each one of said lateral dividers being for supporting a container of craft materials.

2. The system of claim 1, further comprising a lid portion for selectively closing said housing, said lid portion abutting a top edge of said perimeter wall when said lid portion is in a closed position.

3. The system of claim 1, wherein each one of said lateral dividers had an angular bias of approximately 45 degrees from vertical.

4. The system of claim 1, further comprising at least one longitudinal divider operationally coupled to at least one of said plurality of lateral dividers, said longitudinal divider subdividing said interior space.

5. The system of claim 1, wherein said housing is transparent to facilitate visual inspection of the craft materials positioned

within the housing.

6. The system of claim 1, wherein said housing is rectangular, said housing having a length of approximately 12 inches, said housing having a width of approximately 8 inches, said housing having a height of approximately 3 inches, said length, width, and height being selected for storing up to seventy-two plastic bead containers having a uniform size of 14 mm by 60 mm.

7. A container system for storing and presenting craft materials for use, comprising:

- a housing having a bottom wall and a perimeter wall extending upwardly from said bottom wall, said housing defining an interior space;

- a plurality of lateral dividers positioned within said housing, each one of said lateral dividers having an angular bias whereby a bottom edge of each one of said lateral dividers is positioned forward of a top edge of said lateral divider, each one of said lateral dividers being for supporting a container of craft materials, each one of said lateral dividers had an angular bias of approximately 45 degrees from vertical;

- a lid portion for selectively closing said housing, said lid portion abutting a top edge of said perimeter wall when said lid portion is in a closed position;

- at least one longitudinal divider operationally coupled to at least one of said plurality of lateral dividers, said longitudinal divider subdividing said interior space;

- wherein said housing is transparent to facilitate visual inspection of the craft materials positioned within the housing; and

- wherein said housing is rectangular, said housing having a length of approximately 12 inches, said housing having a width of

approximately 8 inches, said housing having a height of approximately 3 inches, said length, width, and height being selected for storing up to seventy-two plastic bead containers having a uniform size of 14 mm by 60 mm.

8. The system of claim 7, wherein said lid portion is transparent to facilitate inspection of the craft materials positioned within said housing when said lid portion is in a closed position.

9. The system of claim 7, wherein said plurality of lateral dividers comprises seven lateral dividers uniformly dispersed within said interior space, and wherein said at least one longitudinal divers comprises a pair of longitudinal dividers uniformly spaced within said interior space.

10. The system of claim 7, wherein said housing comprises plastic.

11. The system of claim 7, wherein said lid portion being hingeably coupled to said housing.

12. The system of claim 7, further comprising:
said lid portion is transparent to facilitate inspection of the craft materials positioned within said housing when said lid portion is in a closed position;

said plurality of lateral dividers comprises seven lateral dividers uniformly dispersed within said interior space, and wherein said at least one longitudinal divers comprises a pair of longitudinal dividers uniformly spaced within said interior space;

said housing comprises plastic; and

said lid portion being hingeably coupled to said housing.